

MEGANITE® Acrylic Solid Surface



MODERN MATERIALS FOR TODAY'S DESIGN

Welcome to a new stage of architectural surfaces!

MEGANITE® brings exceptional meaning and beauty to surfaces without compromises. Timeless colourations, styles, and function are joined with superior craftsmanship to produce a marvelous surfacing solution.

Exceptional Performance

- · Euro Class fire rating
- · Non porous, stain resistant, renewable surface, hygienic
- · Commercial food zone certified
- · Backed by 10 years warranty



Designer Friendly

- · Bold solids for a modern environment
- · Translucents for creative backlighting ideas
- · Metallic and Pearl effects
- · Recycled decors



Flexy White

· 'Flexy White' standard stocked special thermoforming grade white sheets offering small radius bending



Custom Colour/Dimension

- · Any sheet size can be custom made up to 1500mm wide*
- · Any sheet thickness can be custom made 6mm up to 30mm
- · Industry leader in precise matching or creating new designs
- · Low minimum order quantity for custom colour/size







MEGANITE® Acrylic Solid Surface

EXCEPTIONAL PERFORMANCE, OUTSTANDING VALUE.

Architects, builders, and consumers today are challenging us for new materials that perform better. They want it more beautiful, reliable, and sustainable than ever before – all priced for maximum value.

MEGANITE® delivers the best of both worlds: exceptional performance from an acrylic solid surface...outstanding value unlike any other product in its class.

Better yet, it's never been more accessible, or affordable.



The MEGANITE® colour palette is an innovative selection that comes from today's best selling designs and future forecasts. The secret is our knowledge about colour. In the past 35+ years, we have made over 700 solid surface patterns and 9,500 colourants for consumer products.

Solids



Translucents



NOTES: 1. Photos of MEGANITE® colour samples can look different from actual colour samples.

- 2. Visual inspection and approval of actual colour samples must be done prior to placing an order and fabrication.
- 3. Darker colours tend to require more attention than lighter colours.*
- 4. Your designer or fabricator can offer suggestions regarding colour selection.
- 5. Dark colours are not suitable for all applications as normal usage will show signs of wear and will require more maintenance.

Mists



Polar 290A



Midnight Sky* 265A



Canvas 🗳 312AR

Galaxy* 311A



Papyrus 349A



Wheat 4 266AR



Silver 😘 219AR

Stones



Blanca 701A



Volterra 505A



San Rafael 501A



Rio Grande* 503A



Canela 👶 504AR



Staten Island 502A



Blue Bayou 510A

Granites



Antique White 630A




Aspen 780A



Rocky Road 🚳 729AR



Desert Stone 🚳 625AR




Delta 661A

Boulders



Cotton Boulder 846A



Barney's Rubble 903A





Raven* 😂 810AR



Winter 800A



Just Beachy 904A



Cinder 4 679AR

Metallics



Under the Boardwalk 505S



Goldrush Gemstone 819SAR 🗳



Brown Eyed Girl*



Silver Lining 923S



Starry Starry Night* 508S



Shine on Me 430S



Red Diamond Sparkle 698S



Midnight Gemstone*




Botanic Gemstone* 820S


Pearls



Beyond the Sea 416A



See Glass 418A



Surfin' Safari 419A



Shell Mosaic T 9927B

- = Available in 12 mm and 6 mm thickness
- T = Polyester Acrylic Blended
- = Recycled Series. May contribute to LEED Points

MEGANITE® Acrylic Solid Surface 100% Acrylic Series

Property	Typical Result	Test	
Thickness	1/2 inch (12 mm)		
Specific Gravity	1.7 g/cm3	ASTM D-792	
Water Absorption (24 hours)	0.04%	ASTM D-570	
Mechanical			
Tensile Strength	6,000 psi 42 Mpa	ASTM D-638	
Flexural Strength	9,000 _{psi} 62 Mpa	ASTM D-790	
Hardness	60 / 90	Barcol / Rockwell	
Thermal Expansion	1.3" 10-6 in/in/°F 0.048 mm/mK	ASTM D-696	
Impact Resistance	>125'' 3.175 m	NEMA LD3-3 (1/2 lb ball)	
Surface			
Stain Resistance	Pass	ASNI 124.3 & 124.6	
Boiling Water Resistance	No Change	NEMA LD3-3-5	
High Temperature Resistance	No Change	NEMA LD3-3-6	
Colour Stability	No Change	NEMA LD3-3-10	
Fungi Resistance	No Growth after 28 days	ASTM G21	
Bacteria & Germ Resistance	No Change	ASTM G-22	
Fire & Heat			
Flammability	Class 1/A USA, Euroclass B,s1,d0	ASTM E84, EN 13501-1	
Flame Spread	Class 1/A (< 25)		
Smoke Development Density	Class 1/A (< 25)		
Certifications			
Food and Splash Zone	NSF Approved	NSF Standard 51	
For Children & School Surfaces	GREENGUARD Approved	GREENGUARD GOLD	
Indoor Air Quality	CREENICHARD A	GREENGUARD	
	GREENGUARD Approved	Certification Program	
Recycled Content Material (AR Series)	Pre-Consumer 6%	SCS Global	
European Commercial Food Zone Use	In Compliance	EN1186, EN13130	

Stand	ard	Sheet	Size
JIGIIG	ulu	JIICCI	JILC

3660 x 760 x 12mm (All Decors) 2440 x 915 x 6mm (Certain Decors) 3660 x 1500 x 12mm (Snow White)

MEGANITE® Acrylic Solid Surface

Kurt Lautenschlager GmbH & Co. KG Schmiedestraße 8 28870 Ottersberg Tel: +49 (04205) 63599 - 0

Fax: +49 (04205) 63599 - 159 info@kula.de www.kula.de









ISO9001